


PRODUCT INFORMATION GUIDE



**G** 

1887 Whitney Mesa Drive #9740 Generic Crop Science, LLC



INSECTICIDES/ MITICIDES								
PRODUCT	CONTAINER SIZE	CASES PER PALLET	PALLET QUANTITY	TRUCKLOAD QUANTITY	PRODUCT FEATURES	LABEL (SCAN TO READ)		
Abamectin 0.15LV*  Low volatility formulation	4 x 1 gal.	48	192 gals.	4,608 gals.	A low-volatility formulation of abamectin that provides the same efficacy as other abamectin brands while at the same time, reducing VOC emissions. Specifically designed for areas under geographical VOC regulations, Willowood Abamectin 0.15LV provides the control you need while reducing air emission concerns.			
Abamectin 0.7SC*  Same active as AGRI-MEK SC*	4 x 1 gal.	48	192 gals.	4,608 gals.	A water based, low volatile organic compounds (VOC) high active ingredient (a.i.) version of abamectin. Combined with the convenience of flexible timing and application methods, Willowood Abamectin 0.7SC is an excellent choice for outstanding, economical mite control in a wide variety of crops. It also serves as a solution for use in areas where VOC regulations are in place.			
Bifenazate 50WDG  Same active as ACRAMITE®	4 x 5 lbs.	36	720 lbs.	17,280 lbs.	A versatile, broad-spectrum miticide that provides control of a variety of mite pests on a number of crops including tree nuts, stone fruit, pome fruit, legumes and more. Packaged in convenient 5 lbs. jugs, Willowood Bifenazate 50WDG provides quick knockdown and long residual control while providing safety to predaceous mites and other beneficials.			
Bifenthrin 2EC  Same active as CAPTURE® and BRIGADE®	4 x 1 gal.	48	192 gals.	4,224 gals.	Willowood Bifenthrin 2EC is a broad-spectrum insecticide that when used at-plant, provides a zone of protection against pests such as corn rootworms, wireworms, cutworms and grubs before they do damage to your crop. Willowood Bifenthrin 2EC can be used with liquid fertilizers but a jar test is always recommended to insure compatibility.			
Imidacloprid 4SC  Same active as ADMIRE PRO® and TRIMAX®	4 x 1 gal.	48	192 gals.	4,032 gals.	A systemic insecticide used for the control of a wide variety of sucking and biting insects in crops such as citrus, coffee, cotton, fruits, grapes, potatoes, soybeans, tobacco and vegetables.			
Lambda-Cy 1EC*  Same active as WARRIOR*	4 x 1 gal.	48	192 gals.	4,608 gals.	Broad-spectrum insecticide that delivers control of primary and secondary insect pests on a wide variety of crops including cole crops, lettuce, corn, cotton, peanuts, rice, soybeans, tomatoes and wheat. Fast acting, provides outstanding performance, excellent residual activity, flexibility and value.			
PGR's								

PGR's							
PRODUCT	CONTAINER SIZE	CASES PER PALLET	PALLET QUANTITY	TRUCKLOAD QUANTITY	PRODUCT FEATURES	LABEL (SCAN TO READ)	
Mepi Chlor 4.2%	2 x 2.5 gal.	36	180 gals.	4,320 gals.	Plant growth regulator used primarily to control vegetative growth in cotton. By controlling vegetative growth early in the cotton growing season, growers can improve potential yield and reduce		
Same active as PIX®	275 gal. tote	1	275 gals.	4,950 gals.	excess vegetative growth. Reducing excess vegetative growth can also result in earlier and more timely harvest to reduce the chance of a late season weather incident.		



1887 Whitney Mesa Drive #9740 Henderson NV 89014-2069 Toll Free: 866-396-0465 GenericCropScience.com

\*Restricted use product.

All product names, logos, brand names, or trademarks are property of their respective owners. All company, product and service names used in this material are for identification purposes only. Use of these names, logos, brands and trademarks does not imply endorsement. Products may not be registered for purchase in all states. Please check with your Regional Manager.

			/	\		
			<b>FUNGI</b>	CIDES		
PRODUCT	CONTAINER SIZE	CASES PER PALLET	PALLET QUANTITY	TRUCKLOAD QUANTITY	PRODUCT FEATURES	LABEL (SCAN TO READ)
Propicon 3.6EC  Same active as TILT®	2 x 2.5 gal.	36	180 gals.	4,320 gals.	Controls major foliar fungal diseases that can quickly destroy your crop if not treated immediately. Will help you achieve maximum yield potential and an excellent return on investment. Possesses systemic and some curative	
	4 x 1 gal.	48	192 gals.	4,224 gals.		
	265 gal. tote	1	265 gals.	4,505 gals.	properties against certain diseases and prevents fungal cell growth by inhibiting sterol biosynthesis.	
Teb 3.6SC  Same active as FOLICUR®	2 x 2.5 gal.	36	180 gals.	4,320 gals.	Used on a wide arrange of diseases that attack as- paragus, barley, beans, corn, cotton, grapes, grasses grown for seed and many other vegetables and fruit crop diseases. It works very well on rusts, powdery mildew and other diseases.	
Teb 45DF  Same active as ELITE*	24 x 2 lbs. bags	18	864 lbs.	20,736 lbs.	Provides highly effective, economical control of powdery mildew, black rot, leafspot, and brown rot in stone fruits, grapes and nut crops. Forms the basis of a resistance management program. Offers flexible use rates and both a short reentry interval and preharvest interval.	

HERBICIDES								
PRODUCT	CONTAINER SIZE	CASES PER PALLET	PALLET QUANTITY	TRUCKLOAD QUANTITY	PRODUCT FEATURES	LABEL (SCAN TO READ)		
Chlorim 25WDG  Same active as CLASSIC®	8 x 10 oz.	60	300 lbs.	N/A	A post emergent soybean herbicide used alone or in combination with other compatible tank-mix partners for the control of a number of key weeds including, but not limited to; velvetleaf, morningglory, hemp sesbania, and yellow nutsedge.			
Clethodim 2EC	2 x 2.5 gal.	36	180 gals.	4,320 gals.	Controls a wide range of the toughest annual and perennial grasses in soybeans, potatoes, sugarbeets, sunflowers, and many other crops.			
Same active as SELECT®	265 gal. tote	1	265 gals.	4,770 gals.				
Clomazone 3ME Same active as COMMAND 3ME®	2 x 2.5 gal.	36	180 gals.	4,140 gals.	A flexible preplant, preemergence or early post-emergence (up to the 2 leaf stage) herbicide used in rice for the control of annual grasses including barnyardgrass (watergrass), sprangletop, broadleaf signalgrass and crabgrass. The unique mode-of-action provides an excellent residual foundation for a season-long weed control program aimed at resistance management.			
Clomazone 5G Same active as CERANO®	50 lb. bag	40 bags	2,050 lbs.	40,000 lbs.	A preemergence and post-emergence herbicide for the control of watergrass, barnyard grass (Echinochloa spp.) and sprangletop (Leptochloa fascicularis). Willowood Clomazone 5G controls weeds through foliar and root uptake as a chlorophyll-production inhibitor.			
Cloran DF  Same active as FIRSTRATE®	8 x 10 oz.	60	300 lbs.	N/A	A versatile pre- and post-emergence soybean herbicide used for the control of the most troublesome broadleaf weeds including glyphosate-resistant species.			

	HERBICIDES							
PRODUCT	CONTAINER SIZE	CASES PER PALLET	PALLET QUANTITY	TRUCKLOAD QUANTITY	PRODUCT FEATURES	LABEL (SCAN TO READ)		
Ethofumesate 4SC	2 x 2.5 gal.	36	180 gals.	4,320 gals.	Provides both pre- and post-emergent control of Poa annua in cool-season turf. Provides a foundation for the development of a weed resistance management			
Same active as NORTRON®	110 gal. tote	1	110 gals.	3,740 gals	program when used in conjunction with RoundUp Ready® sugarbeets. In addition, controls a wide			
	265 gal. tote	1	265 gals.	4,240 gals.	variety of annual grasses and broadleaf weeds.	El ventrateva		
Fomesafen 1.88SL  Same active as FLEXSTAR® and REFLEX®	2 x 2.5 gal.	36	180 gals.	4,320 gals.	Selective herbicide which may be applied pre-plant, pre-emergence or post-emergence for control or suppression of broadleaf weeds, grasses and sedges in soybeans. Generally most effective and consistent when used post-emergence, working through contact action. Unique formulation allows compatibility with glyphosate products			
Glufosinate 280SL	2 x 2.5 gal.	36	180 gals.	3,960 gals.	A non-selective herbicide for post-emergent control of a wide spectrum of weeds in many crops including			
Same active as LIBERTY® and RELY®	265 gal. tote	1	265 gals.	4,240 gals.	but not limited to: tree fruit, nut crops, grapes and berries.			
Imazethapyr 2SL  Same active as PURSUIT®	4 x 1 gal.	48	192 gals.	4,608 gals.	A broad-spectrum herbicide which can be applied as early pre-plant, ple-plant incorporated, and post-emergent providing outstanding control of a wide variety of broadleaf weeds and grasses. Labeled crops include soybeans, alfalfa, edible legumes, peanuts, dry edible peas, lentils, chickpeas, lima beans, and more.			
Lactofen 2EC  Same active as COBRA®	2 x 2.5 gal.	36	180 gals.	4,320 gals.	A broad-spectrum pre- and post-emergence herbicide used for the control of over 50 troublesome broadleaf weeds including pigweed, Palmer amaranth, annual nightshade, ragweed, and cocklebur in a number of registered crops.			
Mesotrione 4SC  Same active as CALLISTO®	4 x 1 gal.	48	192 gals.	3,840 gals.	An excellent contact and residual herbicide used for the control of broadleaf weeds in field corn, seed corn, yellow popcorn, sweet corn and other labeled crops. Willowood Mesotrione 4SC provides excellent crop safety, multiple tank-mix options and flexibility in application timing.			
Metola 8EC  Same active as DUAL*	265 gal. tote	1	265 gals.	4,240 gals.	A pre-emergent herbicide used for the control of numerous annual grasses and broadleaf weeds in soybeans, potatoes, and a variety of other crops.			
Metribuzin 75WDG  Same active as SENCOR®	2 x 10 lbs	36	720 lbs.	15,840 lbs.	A pre- and post-emergence herbicide used to control grasses and broadleaf weeds in a variety of crops including, but not limited to: soybeans, potatoes, alfalfa, field corn, peas, tomatoes, and cereals.	A		
Oxyflo 2EC  Same active as GOAL®	2 x 2.5 gal.	36	180 gals.	4,320 gals.	Selective herbicide used for pre and post-emergent control of broadleaf weeds. Can be used on a wide variety of crops including artichokes, cole crops, citrus, corn, cotton, garlic, mint, onions, tree fruit, nuts, grapes as well as on fallow beds. Provides long lasting control that varies based on soil conditions and rate selection.			
	2 x 2.5 gal.	36	180 gals.	3,960 gals.	Unique, fast acting, non-selective contact herbicide registered for use in a wide variety of crops including but not limited to: corn, soybean, wheat, rice, potatoes, tree fruit, nut crops, cotton and more. This herbicide			
Paraquat / 3SL*  Same active as GRAMOXONE®	30 gal. drum	5	150 gals.	3,600 gals				
	265 gal. tote	1	265 gals.	4,240 gals.	binds tightly to soil particles and does not have a negative effect on groundwater or soil organisms.			
Pronamide 3.3SC  Same active as KERB*	2 x 2.5 gal.	36	180 gals.	4,320 gals.	Effective control of a wide variety of grasses and certain broadleaf weeds in head lettuce, leaf lettuce and certain other labeled crops.			
Propanil 4EC  Same active as STAM M4*	30 gal. drum	5	150 gals.	3,600 gals.	A solvent based formulation used for the postemergent control of broadleaf weeds and select grasses (specifically <i>Echinochloa</i> species) in cultivated rice.			

HERBICIDES								
PRODUCT	CONTAINER SIZE	CASES PER PALLET	PALLET QUANTITY	TRUCKLOAD QUANTITY	PRODUCT FEATURES	LABEL (SCAN TO READ)		
Propanil 4SC Same active as SUPERWHAM®	30 gal. drum	5	150 gals.	3,600 gals.	A water based formulation used for the postemergent control of broadleaf weeds and select grasses (specifically <i>Echinochloa</i> species) in cultivated rice.			
Propanil 80CHS  Same active as STAM®	30 lbs. containers	27	810 lbs.	30,780 lbs.	A dry flowable formulation used for the postemergent control of broadleaf weeds and select grasses (specifically <i>Echinochloa</i> species) in cultivated rice.			
Sulfen 4SC Same active as SPARTAN® and AUTHORITY®	2 x 2.5 gal.	36	180 gals.	3,960 gals.	An effective preemergence herbicide tough on broadleaf weeds and grasses as well as on glyphosate-resistant species. Whether applied in the fall as part of a burndown program or in the spring as either a no-till or minimum till practice, count on Willowood Sulfentrazone 4SC to provide effective control on tough, yield robbing weeds such as kochia, Russian thistle, lambsquarter and morningglory.			
Sulfen/IMAZ  Same active as AUTHORITY ASSIST*	2 x 2.5 gal.	36	180 gals.	4,320 gals.	An excellent small-seeded broadleaf weed and grass herbicide that provides effective control before weeds start robbing yield potential. With multiple modes of action, no pH restrictions, and the flexibility for use on multiple soil types, can provide excellent protection against glyphosate-tolerant summer weeds like lambsquarter, pigweed, nightshade, morningglory, and kochia.			
Sulfen MET  Same active as AUTHORITY MTZ*	2 x 12 lbs.	36	864 lbs.	20,736 lbs.	A broad-spectrum herbicide that when applied as a fall burndown treatment, provides multiple modes of action to control winter annuals and other problem weeds. The residual activity of fall-applied Sulfentrazone MTZ DF not only keeps weeds from emerging, but also leaves you the flexibility in the spring to plant soybeans and corn. Applied in the fall or spring, controls glyphosate and ALS-resistant weeds that otherwise rob yield, moisture, and nutrients.			
Sulfen CHLORIM  Same active as AUTHORITY® XL	4 x 5 lbs.	36	720 lbs.	17,280 lbs.	A dual-mode-of-action herbicide for use in both fall burndown and spring applications. Provides excellent residual control of tough small- and large-seeded broadleaf weeds like waterhemp, marestail, lambsquarters, morningglory, pigweed and other labeled weeds. The residual activity of this herbicide expands the post application window for many other herbicides while providing excellent crop safety.			
Sulfen CLORAN  Same active as AUTHORITY® FIRST	4 x 5 lbs.	36	720 lbs.	17,280 lbs.	This dual-mode-of-action herbicide provides strong pre-emergence control of a number of key broadleaf weeds while maintaining excellent crop safety. Labeled for use in all types of soybeans (conventional and traited), Sulfen Cloran can be used in all tillage systems including as a burndown partner in no-till systems. Can also be tank-mixed with suitable fertilizers, herbicides, insecticides and adjuvants.			
Thio ULTRAMAX Same active as BOLERO*UltraMax	1200 lb. Supersack	1	1200 lbs.	28,800 lbs.	Willowood Thio UltraMax is a dry thiobencarb formula- tion that provides outstanding contact and residual weed control in rice similar to Willowood Thioben 8EC but in a convenient non-VOC containing dry formulation.			
Thioben 8EC  Same active as ABOLISH®	2 x 2.5 gal.	36	180 gals.	4,320 gals.	Willowood Thioben rice herbicide provides excellent contact and residual control of key weeds including, watergrass, smallflower umbrellaplant and sprangletop. Used early postemergence in dry-seeded rice or preplant incorporated in water seeded rice, Willowood Thioben affords growers tank mix flexibility which can broaden the weed control spectrum and provide additional residual control.			
Thionil/ EC	30 gal.	5	150 gals.	3,600 gals.	Willowood Thionil is an excellent post emergent herbicide for the control of broadleaf and grass weed species in rice. An EC formulation with multiple modes of action provides both contact and residual			
Same active as RICEBEAUX®	265 gal. tote	1	265 gals.	4,240 gals.	weed control on a broad spectrum of weeds. An excellent weed control solution in rice with both Newpath® herbicide in the Clearfield® production system as well as the conventional rice acre.			